

Single Origin | Espresso Tea | Espresso Coffee
















Main Machine

(GCM-2109)









Features:

- Independent System
- 3 Different Extract Mode
- 4 Kinds of Menu Settable
- Simulate Lever Coffee Machine Pressure Change
- PID Precise Temperature Control
- Electronic Manual Pressure Change
- Display Real Extraction Pressure
- 58mm Professional Filter Group Head
- Stainless Steel Tank
- Auto Back Cleaning

Specifications:

Electrical

AC Power AC 100 ~ 120V or AC 220 ~ 240V

Water Boiler 1200 Watts

Group Head Heater 120 Watts

Max. Consumption 1320 Watts

Mechanical

Material of Boiler Stainless


Steel

Capacity of Boiler 1000cc

Pressure of Pump 15 bar












Steam Unit & Pour Over Unit (GCM-2107) (GCM-2108)









Specifications:

Mechanical

Dimensions

Lever Steam Unit $\,\psi$ 105 \times 383.5 mm Package

Lever Steam Unit 540 × 260 × 150 mm

Net Weight

Lever Steam Unit 1.9 kgs

Gross Weight

Lever Steam Unit 2.5 kgs



Specifications:

Mechanical

Dimensions

Water Spout 205.5 \times 108 \times 360 mm

Package

Water Spout $500 \times 320 \times 150 \text{ mm}$

Net Weight

Water Spout 2.7 kgs

Gross Weight

Water Spout 3.2 kgs







Specifications:

Electrical

AC Power AC 100 ~ 120V

or AC 220 ~ 240V

Water Boiler 1200 Watts

Max. Consumption 1200 Watts

Mechanical

Material of Boiler Stainless Steel

Capacity of Boiler 13000cc

Dimensions $351 \times 260 \times 426 \text{ mm}$

Package $500 \times 410 \times 480 \text{ mm}$

Net Weight 9.5 kgs

Gross Weight 10.5 kgs





Our pressure-free technology is perfect for brewing fragrant and delicious tea.

Espresso Tea







• Dripping Shower accessory, easily brew the perfect cup of single-origin coffee



Specifically designed to easily brew single-origin coffee

Attach the Dripping Shower accessory to the brewing head, and select multi-stage pre-soak and drip settings to simulate authentic pour over coffee.



Optional accessory

Custom designed for brewing single-origin coffee.

GEE's Dripping Shower brewing hand-made coffee filters (V60, M1, etc.).

Material: TRITAN™ Non-BPA · Non-BPS

OTRITAN™ meets US FDA standards (FCN).








Tea-Espresso

Tea-Espresso shots can be extracted within 30 seconds at high temperature and pressure. The resulting tea shot retains the original rounded tea qualities and flavor. It is perfect for lattes, iced tea, flavored milk tea, fruit tea and many other tea products.







Caffè Espresso

GEE Pro has been specially designed to raise pressure rapidly during extraction. This is different from the hard pressure curve of traditional machines. The result is better performance and softer extraction.



All drinks use GEE Pro

Counter Top to extract

and mix.





• Ice/Hot Black Tea











• Ice Tea au Lait • Ice Tea Latte









Combinating Selection

