

Espresso Coffee | Single Origin | Tea Espresso





Espresso Coffee | Single Origin | Tea Espresso



Features :


- Bilateral Independent System
- Unilateral 4 Kinds of Menu Settable
- PID Precise Temperature Control
- LED Light Show
- Display Real Extraction Pressure
- 58mm Professional Filter Group Head
- Stainless Steel Tank
- Quiet Pump

- 3 Different Extract Mode
- Limit Extract Technology
- Shorten Extract Time
- Increase Concentration
- Reduce Astringency
- Auto Back Cleaning
- Cup Counting Function





Espresso Coffee | Single Origin | Tea Espresso





www.gee-coffee.com



Espresso Coffee | Single Origin | Tea Espresso



Specifications : Electrical

AC Power AC 220 ~ 240V Main Boiler 750*2 Watts Pre-Heating Boiler 750*2 Watts Group Head Heater 120*2 Watts Max. Consumption 3240 Watts

Mechanical


Material of Boiler Stainless Steel Capacity of Main Boiler 1000*2 c.c. Capacity of Pre-Heating Boiler 1000*2 c.c. Pressure of Pump 15 bar

www.gee-coffee.com





Espresso Coffee | Single Origin | Tea Espresso





www.gee-coffee.com